

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Apply this product directly to the lawn or garden area. Water treated area as directed on this label. Do not water to the point of run-off. Do not make applications during the rain. Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

**General Instructions**  
**SURRENDER G** is for use on lawns, around home foundations (perimeter treatment), ornamental and flower gardens, and vegetable gardens for the control of the insect pests listed in the table below.

**Lawns**  
 Apply **SURRENDER G** when insect activity or damage is first observed (lawn thins, brown spots appear, or moths fly up from the grass when mowed). Spread **SURRENDER G** uniformly over lawn using the suggested spreader settings. For best results, use a mechanical spreader. Water-in product after application. Do not use any other weed, disease, or insect control products for at least one week after application. For best results and to prevent further damage, treat the entire lawn, not just the browned areas. Repeat application if there are signs of renewed insect activity. NOTE: Food utensils such as tablespoons/teaspoons must not be used for food purposes after use in measuring pesticides.

Pest	Application Rate	Crop	Days to Wait till Harvest
Ants (Including Carpenter, Red Harvester, Odorous, Pyramid, Argentine, Pharaoh, Black, Tule, Fire Ants and Foraging Fire Ants)	Uniformly apply 1 to 2 pounds over a 1,000 sq. ft. area of lawn using a spreader.	Tomatoes, Sweet Corn	1
Armyworms (Including Lawn Armyworms, Fall Armyworm), Billbugs (Including Bluegrass Billbug, Harming Billbug)	For control, apply 1 lb. of product per 250 sq. ft. For best results, thoroughly water the treated area after application.	Green Peas, Sugar Snap Peas, Snow Peas, Green Beans (Wax Beans, Snap Beans), Dry Beans (Black Eyed Peas, Cow Pea), Cucumber, Gourds, Muskmelon, Pumpkin, Squash, and Watermelon	3
Black Turfgrass Ateanus (adults), Bristletail, Chiggers, Clutch Bugs, Crickets, Cutworms (Including Black Cutworm, Brown Cutworm, Grasshopper Cutworm, Variegated Cutworm), Diabrotica Flea Beetle, Earwigs, European Crane Fly, Furry Skipper, Fruit Fly, Fleas, Fruit Fly, Grasshoppers, Greening, Ground Beetles, Ground Pear, Leaf Hoppers, Lucerne Moth, Mealbugs, Mole Crickets (Including Tawny Mole Cricket, Southern Mole Cricket), Pillbugs, Seed Maggots, Spiders, Springtails, Striped Grasshopper, Ticks (Including ticks that may transmit Lyme Disease), Two-lined Spittle Bug, Webworms (Including Sod Webworm, Grass Webworm, Tropical Sod Webworm), Weevils (Including Hyperodes, Biopress), Wireworms	For <b>Fire Ant Mounds</b> : Uniformly apply 1 tablespoon or 3 teaspoons of granules to the surface of each mound. For best results, apply in cool weather, 6:30 to 8:00 p.m. in early morning or late evening hours. Avoid disturbing mounds. Treat new mounds as they appear. Thoroughly water the treated area after application.	Artichoke Broccoli, Chinese Broccoli, Cabbage, Cauliflower, Kohlrabi, Chinese Mustard, Eggplant, Head Lettuce, Peppers (Bell and Non-Bell)	5 7
Centipedes, Millipedes, Pavement Ants	Uniformly apply 1 lb. per 250 sq. ft. area of lawn. For best results, thoroughly water the treated area after application.		
Mole Crickets	Uniformly apply 1 to 2 pounds over a 500 sq. ft. area of lawn. For best results, treat in late spring and water thoroughly after application.		

**Spreading Instructions**  
 Follow Application Directions in the table below. Calibrate the spreader settings based on the manufacturer's recommendations.

Spreader	Spreader Settings covers 5,000 sq. ft.			Application Directions
	1 lb.	2 lb.	3.5 lb.	
Scott Drop Spreader (Z Drop, Republic (#530))	1	3	4	Mow lawn first if grass is tall enough to touch the bottom of the spreader. First apply two header strips. Operate spreader the longest way of the lawn. Overlap wheel marks to ensure uniform feeding. Shut off spreader when you have reached the header strips or stopped.
Scotts Easy Green® Rotary (Z Broad-cast, Republic (#540))	20	25	26	Application automatically starts and stops when you do. For complete coverage, make each pass about 30 inches from the previous one to some overlapping occurs.
Scotts SaverGreen® EdgeGuard® Rotary	1	212	5	Shut off spreader any time you stop. For complete coverage, make each pass about five feet from the previous one so some overlapping occurs.

**STORAGE AND DISPOSAL**  
**Prohibitions:** Do not contaminate water, food or feed by storage or disposal.  
**Pesticide Storage:** Keep out of reach of children and domestic animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. For rigid containers after partial use, replace lids and close tightly. For bags after partial use, reseal opened bag by folding top down and securing.  
**Container Disposal:** If empty: Nonrefillable container. Do not reuse or refill this container. Empty container through use according to label instructions. Offer for recycling if available. Do not reuse unless required for recycling. If recycling is not available, then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**PRECAUTIONARY STATEMENTS**  
 Hazard to Humans (and Domestic Animals)  
**CAUTION**

Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**FIRST AID**  
**If on skin or clothing:**  
 • Take off contaminated clothing.  
 • Rinse skin immediately with plenty of water for 15-20 minutes.  
 • Call a poison control center or doctor for treatment advice.  
**If in eyes:**  
 • Hold eye open and rinse slowly and gently with water for 15-20 minutes.  
 • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.  
 • Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact Safety Call® (866) 897-8050 for emergency medical treatment information.

**Note to Physician:**  
 This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated area of the lawn or garden will help to prevent run-off to water bodies or drainage systems.  
**Notice:** Buyer assumes all responsibility for safety and use not in accordance with directions.

**Ornamentals & Flowers**  
**SURRENDER G** can be applied just before planting or after plants emerge. Apply 0.5 to 1 lb. evenly over each 500 sq. ft. area. Repeat if there are signs of renewed insect activity.


**Home Foundation/Barrier Treatment**  
 Evenly apply a 2 foot wide band next to the house/home foundation. Use 0.5 to 1 lb. for each 500 sq. ft. (2 x 250 ft.). \*0.5 lb./500 sq. ft. is equivalent to 1 lb./1000 sq. ft.

**Vegetable Gardens**  
**SURRENDER G** can be applied to the vegetables listed below. Apply a single application before planting or after plants emerge and work into the top 4 to 6 inches of soil. Use 1.0 lb of product for a 500 sq. ft. area.

EPA Reg. No. 53883-194 EPA Ext. No. 44616-MO-1  
 Control Solutions, Inc.  
 5903 Genoa-Red Bluff  
 Pasadena, TX 77507-1041

0212

NET CONTENTS: 3.5 POUNDS



Easy-to-Use Applicator Nozzle

See Additional Precautionary Statements on Back of Bag.  
**CAUTION**  
 KEEP OUT OF REACH OF CHILDREN

Cis isomers 97% minimum, trans isomers 3% maximum.  
 TOTAL.....100.000%  
 OTHER INGREDIENTS.....99.885%  
 ACTIVE INGREDIENT.....0.115%

• Effective home barrier treatment  
 • Use on lawns, ornamental and flower gardens, and vegetables

**For Outdoor Use Only Around Residential Sites**

**INSECT KILLER GRANULES**

**SURRENDER G**

Treats up to 3,500 sq. ft.

- Ticks
- Fleas
- Mole Crickets
- Spiders
- Fire Ants





**6 x 3.5 POUNDS**

**SURRENDER<sup>®</sup> G**

**INSECT KILLER GRANULES**

Control Solutions, Inc.  
Pasadena, TX 77507



**Product Code MART4965**