


Material Safety Data Sheet

United Phosphorus, Inc.



Issued Date 22-Jun-2007

Revision Date

Revision Number: 0

12U-128 - Up-Cyde Pro 2.0 EC

1. PRODUCT AND COMPANY IDENTIFICATION

UPI

630 Freedom Business Center Suite 402

King of Prussia, PA 19406

Company Information

UPI

Product Name EPA Reg #

Product Code

Recommended Use

Contact Information

Customer Service

R&D Technical Service

Up-Cvde Pro 2.0 EC

70506-19

insecticide termiticide

12U-128

Emergency Telephone Number

Chemtrec: (800) 424-9300 (24hrs) or (703) 527-3887 Medical: Rocky Mountain Poison Control Center (866) 767-5089 (24hrs)

610-878-6100

Phone Number Available Hrs 1-800-438-6071 8:00 am to 5:00 pm EST 8:00 am - 5:00 pm (EST)

2. HAZARDS IDENTIFICATION

Emergency Overview

May cause reversible skin reaction. May cause central nervous system effects.

May be harmful if swallowed, inhaled, or absorbed through the skin.

CAUTION

Appearance Yellow.

Physical State Liquid.

Odor soapy

Potential Health Effects

- Inhalation
- Skin contact

Eyes Skin

May cause tearing. .

Skin contact may produce skin sensations such as numbing, burning, or tingling. These sensations are reversible within 12 - 24 hours of onset. .

Inhalation Ingestion

May cause irritation of respiratory tract.

Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients Name

Chemical Name	CAS-No	Weight %	OSHA PEL	
2-ethylethanol	104-76-7	<6	N/A	
cypermethrin technical	52315-07-8	24.8	N/A	

4. FIRST AID MEASURES

Eye Contact Hold eye open and rinse slowly and gently with water for

15 - 20 minutes. Remove contact lenses, if present, after

5 minutes, then continue rinsing eye.

Skin Contact Rinse skin immediately with plenty of water for 15-20 minutes.

If skin irritation persists, call a physician

Inhalation Move person to fresh air.

If person is not breathing, call 911 or an ambulance, then give

artifical respiration.

Call a physician or Poison Control Centre immediately

Ingestion Call a physician or Poison Control Centre immediately

Never give anything by mouth to an unconscious person Do not induce vomiting unless told to do so by a poison control

center or doctor

Notes to Physician Treat symptomatically. Do not administer milk, cream or other

substance containing vegetable or animal fats which enhance

absorption of lipophilic substances.

Central nervous system stimulation should be controlled with sedation by e.g. barbiturates. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive

care.

5. FIRE-FIGHTING MEASURES

Flammable Explosive Properties

Flash Point

94°C / 201°F **Autoignition Temperature** Not available

Flammability Limits in Air Not established

Extnguishing Media Foam, Carbon dioxide (CO2) Dry chemical.

Fire/Explosion Hazard Combustible material May support combustion at elevated

> temperatures. Mixture may contain traces of ethylene oxide, a highly flammable chemical that may build up in the headspace

of containers.

Hazardous Combustion Products Carbon monoxide, Carbon dioxide (CO2), chlorine, Hydrogen

chloride, hydrogen cyanide.

NFPA Health 1 Flammability 1 Instability 0

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Use personal protective equipment. Avoid contact with the skin and the eyes. Remove

all sources of ignition.

Environmental Precautions

Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinenet environmental permits.. Keep material out of lakes, streams, ponds and sewer drains. Dike to confine spill and absorb with an absorbant such as clay, sand or soil.

Methods for Clean-up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Sweep up and shovel into suitable containers for disposal.

7. HANDLING AND STORAGE

Handling

Keep out of reach of children. Do not eat, drink or smoke when using this product. Keep away from open flames, hot surfaces and sources of ignition. Wash thoroughly after handling. Remove and wash contaminated clothing before re-use.

Storage

Keep in a dry, cool and well-ventilated place. Store in an area where cross-contamination with pesticides, fertilizers, food or feed could not occur. .

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Guidelines

Engineering Controls

Investigate engineering techniques to reduce exposures. Local mechanical exhaust ventilation is preferred. Consult ACGIH ventilation manual or NFPA Standard 91 for design of exhaust systems.

Personal Protective Equipment
Eye/face Protection

Skin Protection Respiratory Protection Where there is potential for eye contact have eye flushing equipment available.. Use eye protection to avoid eye contact. .

Wear protective gloves/clothing.

Where airborne exposure is likely, use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. If exposures cannot be kept at a minimum with engineering controls, consult respirator manufacturer to determine appropriate type equipment for given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure, use an approved full face positive-pressure, self-contained breathing apparatus. Respiratory protection programs must comply with 29 CFR 1910.134.

General Hygiene Considerations

Do not eat, drink or smoke when using this product. Wash hands before breaks and immediately after handling the product. Remove and wash contaminated clothing before re-use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance
Physical State
Boiling Point/Range
Specific Gravity
Evaporation Rate
Vapor Density
Viscosity
Bulk Density
Percent Volatiles

Yellow Liquid Not available 0.954 g/ml Not available Not available No data available Not available Odor pH Melting Point/Range Solubility Vapor Pressure VOC Content Molecular Weight Percent Solids

(1% solution)4.8 Not available Emulsifies Not available Not available 8.1 lb/gal Not available

soapy

10. STABILITY AND REACTIVITY

Stability

Stable under recommended storage conditions

Conditions to Avoid

Heat, flames and sparks

Incompatible Materials

No materials to be especially mentioned.

Hazardous Decomposition Products

Carbon oxides. Hydrogen chloride. hydrogen cyanide. chlorine.

Possibility of Hazardous Polymerization

None under normal processing

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Product Information

Up-Cyde Pro

Acute Oral LD50 = 1,085 mg/kg

Acute dermal LD50 (rabbit) = >2,000 mg/kg Acute Inhalation LC50 = 12.35 mg/L/1 hr

Signs of toxicity in laboratory animals included loss of motor control, tremors, decreased activity, urinary incontinence, uncoordination, increased sensitivity to sound and convulsions.

Experience to date indicates that contact with this product may produce skin sensitizations such as numbing, burning and tingling. These sensations are reversible and usually subside within 12 hours.

Chronic Toxicity

Carcinogenicity

Cypermethrin: In animal studies cypermethrin did not cause reproductive toxicity, teratogenicity, neurotoxicity or carcinogenicity in male and female rats and male mice. Cypermethrin caused an increase in benign lung tumors in female mice at 1600 ppm in the diet. The EPA concluded on a weight of evidence approach that cypermethrin represents a low oncogenic potential to female mice at this dose level (approximately 228 mg/kg/day). Liver enlargement is often noted in laboratory animals that have ingested large doses of cypermethrin in their life span. An overall absence of genotoxicity has been demonstrated in tests of mutagenicity, DNA damage and chromosome aberrations.

12. ECOLOGICAL INFORMATION

Ecotoxicity

Cypermethrin:

Is rapidly degraded in soil with a half life of 2-4 weeks. It is readily hydrolyzed under basic conditions; hydrolysis half-life period can be 20-29 days. Cypermethrin has a high affinity for organic matter and a Log Pow of 5.0; yet, because of the ease with which the material undergoes degradation, it has very low potential for bioconcentration (BCF= 17), and it is not mobile in soil.

Cypermethrin is considered extremely toxic to fish and aquatic arthropods, and has LC50 values which range from 0.004 ug/L to 3.6 ug/L. The aquatic arthropods tended to be some of the more sensitive species. Care should be taken to avoid contamination of the aquatic environment. Cypermethrin is slightly toxic to birds and oral LD50 values are greater than 10,248 mg/kg.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal law. If the wastes cannot be disposed of by use or according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. .

Contaminated Packaging

Empty containers should be taken for local recycling, recovery or waste disposal

14. TRANSPORT INFORMATION

<u>DOT</u>

When shipped domestically by highway in non-bulk containers this product can be shipped as not regulated. When shipped in bulk use IMDG shipping description

ICAO

Not regulated

IATA

Not regulated

IMDG/IMO

Proper Shipping Name

Environmentally hazardous substances, liquid, n.o.s. (Cypermethrin)

Hazard Class UN-No

3082

Packing Group EmS No.

III F-A,S-F

Marine Pollutant

Yes

15. REGULATORY INFORMATION

International Inventories

2-ethylethanol

DSL Listed
EINECS/ELINCS Listed
ENCS Listed
CHINA Listed
KECL Listed

cypermethrin technical

EINECS/ELINCS Listed
CHINA Listed
KECL Listed

USA

Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and and Title 40n of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazardous Categorization

Chronic Health Hazard

Acute Health Hazard

Fire Hazard

Sudden Release of Pressure Hazard

No
Reactive Hazard

No
No

Clean Water Act

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product contains the following HAPs:

Chemical Name	CAS-No	Weight %	HAPS data	VOC Chemicals	Class 1 Ozone Depletors	Class 2 Ozone Depletors
2-ethylethanol	104-76-7	<6		Listed.		

CERCLA

RCRA

Pesticide Information

State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

State Right-to-Know

Chemical Name	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
2-ethylethanol	Listed.		Listed.		
cypermethrin technical	Listed.				

International Regulations

Mexico - Grade

Not available

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class Not determined

16. OTHER INFORMATION

Revision Date

Revision Summary Add to new MSDS system

UPI, Inc. believes that the information and recommendations container herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY, OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specific product designated and may not be valid where such product is used in combination with other materials or in any process. Further, since the conditions and methods of use are beyond the control of UPI, Inc. UPI, Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the product or reliance on such information.

End of MSDS