

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals

CAUTION: Avoid contact with eyes and skin. Use in adequate ventilation and avoid breathing dust.

Statement of Practical Treatment (First Aid)

If Swallowed: Call a poison control center or doctor immediately for treatment advice.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice. **Have the product container or label with you when calling a poison control center or doctor or going for treatment.**

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply directly to any body of water. Do not apply when weather conditions favor drift from the treatment area. Do not contaminate water by disposal of equipment wash rinses. This product is toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product if bees are visiting the treatment area. Apply this product only as specified on this label.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. **Storage:** Store in original container in a cool, dry place out of sunlight. Protect from moisture.

Disposal: Do not reuse empty container. Wrap and put in trash.

WARRANTY STATEMENT

Seller warrants that this product conforms to the ingredient statement on the label. Since conditions of use, such as weather, compatibility with other chemicals, and conditions of application equipment will vary, seller makes no claims other than those stated on this label.



DIATECT® III Insect Control

For Industrial/Commercial use only

A desiccant dust

Provides quick control

Kills up to 6 months when left undisturbed

Odorless/non-staining

ACTIVE INGREDIENTS:

Pyrethrins.....0.2%
Piperonyl Butoxide, Technical*.....1.0%
Silicon Dioxide.....82.0%

INERT INGREDIENTS.....16.8%
Total.....100.0%

*Equivalent to 0.8% (butylcarbityl) (6-propylpiperonyl) ether and 0.2% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

**See other panels for additional
precautionary statements**

EPA Reg. No. 42850-1
Net Wt: One (1) lb.

EPA Est. 42850-UT-1
Batch No. (See side of bottle)

DIATECT
INTERNATIONAL

875 S Industrial Parkway
Heber, UT 84032

1-800-227-6616
www.diatect.com

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION: Carefully follow the directions for use. Use rates will vary with insect populations and adequate control should be obtained using 16 ounces per 1000 square feet of this product. This material can be used either:

As a dust: The best results are obtained when the insect path, home, infested area plants are wet or dew still remains on the leaf surface. It is suggested that the plants be misted prior to application to obtain the maximum benefits and use the least amount of product for control. Reapply only as necessary.

As a wettable powder: Apply in sufficient water to obtain maximum coverage. Dilution of the material should be at the rate of one half pound in one gallon of water or at a maximum of one pound to 25 gallons of water. It is best to keep the material agitated during application. Apply the material uniformly to both the upper and lower leaf surfaces. Reapply only as necessary.

This product can be used in the following areas including but not limited to: Food processing plants, warehouses, bakeries, beverage plants, restaurants, supermarkets, meat and poultry processing plants, hotels, motels, hospitals, schools, office buildings, theaters, truck trailers, railroad cars, mills, elevators, granaries, sanitary sewers, parks (city, state and federal), cemeteries, sea going vessels, airplanes, busses, churches, apartment buildings, camp grounds, garages, golf courses, restroom facilities (indoor and outdoor).

Diatect III is intended for application by hand or power duster or other suitable means, to hiding and running areas, and places where pests are found.

To apply Diatect III into cracks and crevices, use a bulbous duster or other suitable equipment. Apply lightly and uniformly in treatment area. The amount to be applied will vary with the site, but should usually be 8 to 16 oz. per 1,000 sq. ft. Repeat treatment as necessary to maintain adequate control.

Apply either as a Dust or as a Wettable Powder.

Water Method use 2 ounces (1/4 cup) to one gallon of water. It is best to keep the material agitated during application.

To control insects such as but not limited to; Ants, Armyworms, Caterpillars, Chinch Bugs, Cutworms, Fire Ants, Fleas, Lice, Ticks, Cockroaches, Silverfish, Spiders, Boxelder Bugs, Crickets, Sow Bugs, Pill bugs, Ground Beetles, Earwigs, Millipedes, Centipedes and Scorpions.

Fire Ants: As a Dust: For best results; dust the perimeter of the mound first. With a stick, disturb the mound, then dust mound in a circular motion working toward the center until the mound is thoroughly dusted. **Mound Drench or Water Method:** Use 2 ounces (1/4 cup) to one gallon of water. For best results, saturate the perimeter of the mound first, working toward the center of the mound in a circular motion (you may want the mixture to puddle). An ant mound 12-14 inches in diameter requires approximately one gallon of mix.

Ants, Cinch Bugs, Caterpillars, Cut Worms, Armyworms, Fleas and Ticks: As a Dust: The best results are obtained when applied with a hand or power duster or other suitable means of application to the infested area. Apply lightly and uniformly to the treatment area. **Hand Sprayer:** Use 2.0 oz. (1/4 cup) to one gallon of water. It is best to keep the material agitated during application. Apply the contents to pre-measured area.

“Read the Label First”

Made in the USA