



CONTROLS:



Flies



Fleas



Lice



Ticks

On Dogs

& Dog Premises

**MAKES 8 GALLONS
OF DIP SOLUTION**

FLEA, TICK & MANGE DIP

FOR RESIDENTIAL USE ONLY

- Kills Fleas, Flies, Lice, Mange Mites and Ticks, including Deer Tick (carrier of Lyme Disease)
- Provides Contact and Residual Control for up to 4 weeks

ACTIVE INGREDIENT:

Permethrin.....3.20%

INERT INGREDIENTS:...96.80%

TOTAL:.....100.00%

**KEEP OUT OF
REACH OF
CHILDREN**

CAUTION

See Back Label Booklet for
Additional Precautionary
Statements

**Do Not Use On Puppies Less
Than 12 Weeks of Age**

A CONTROL SOLUTIONS INC. PRODUCT

NET CONTENTS: 1 PINT





FLEA, TICK & MANGE DIP FOR RESIDENTIAL USE ONLY

- Kills Fleas, Flies, Lice, Mange Mites and Ticks, including Deer Tick (carrier of Lyme Disease)
- Provides Contact and Residual Control for up to 4 weeks
- Makes 8 Gallons of Dip Solution

To Control: Flies, Fleas, Lice, Ticks on Dog and Dog Premises

Do Not Use On Puppies Less Than 12 Weeks of Age

ACTIVE INGREDIENT:

Permethrin..... 3.20%

INERT INGREDIENTS:96.80%

TOTAL:.....100.00%

EPA Reg. No. 53883-78

EPA Est. No. 53883-TX-002

**KEEP OUT OF REACH OF
CHILDREN
CAUTION**

See Inside Booklet for Additional Precautionary Statements

Control Solutions, Inc.
5903 Genoa-Red Bluff • Pasadena, TX 77507-1041
281-892-2500

**READ ENTIRE LABEL BEFORE USE
FOR PET USE - USE ONLY ON DOGS
PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION: Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall® International (866) 897-8050 for emergency medical treatment information.

If swallowed

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN AND VETERINARIANS: Do not administer or instill milk, cream or other substances containing vegetable or animal fats which will enhance absorption of lipophilic substances.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish. Do not apply directly to water. Avoid contamination of ornamental fish ponds. Drifts and runoff from treated areas may be hazardous to aquatic organisms in treated areas. Do not contaminate water when cleaning equipment or disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively, visiting the treatment area.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame. Do not use in undiluted form.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep people and pets off treated areas until the spray has dried.

SHAKE WELL BEFORE USING

Use Dilution rate as indicated:

1 fl. oz. = 6 tsp. or 2 Tbsp.

8 fl. ozs. = 1/2 pt. or 1 cup

DOG AND DOG PREMISE USE - REFERENCE CHART

PESTS
DILUTIONS
(Mix Well)

HOW TO APPLY

PESTS ON DOG PREMISES (Dog Houses, Runs and Yards)

Fleas, Flies, Ticks, Lice and Mange Mites (adult and larvae) Dilute 4 fl. ozs. in 1 gal. water Thoroughly spray infested areas, pet beds and resting quarters. Fresh bedding should be placed in animals quarters following treatment. Do not spray feed, food or water. Repeat as needed but not more than once every two weeks.

PESTS ON DOGS (DO NOT TREAT PUPPIES LESS THAN TWELVE [12] WEEKS OF AGE)

Fleas, Ticks, including Deer tick (carrier of Lyme disease), Lice & Mange Dilute 2 fl. ozs. in 1 gal. water Thoroughly wet the animal by dipping, sponging or spraying. Allow animal to dry in a warm place without rinsing or toweling. Do not reapply product for two to three weeks. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals on medication. **Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage and Spill Procedures: Store upright at room temperature. Avoid exposure to extreme temperatures. Store in a locked area out of reach of children and domestic animals. In case of spillage or leakages, soak up with an absorbent material such as sand, sawdust, earth, Fuller's earth, etc. Dispose of with chemical waste.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spilled bait, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for Guidance.

Container Disposal: If empty - Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. If recycling is not available: then dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

If partly filled: Call your local solid waste agency for disposal instructions. Unless otherwise instructed, place in trash. Never pour unused product down the drain or on the ground.

NOTE: Buyer assumes all risks of use, storage or handling of this product not in strict accordance with label DIRECTIONS and PRECAUTIONS.

NOTES



FLEA, TICK & MANGE DIP

- READ ENTIRE LABEL BEFORE USE
- FOR PET USE - USE ONLY ON DOGS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact SafetyCall® International (866) 897-8050 for emergency medical treatment information.

If swallowed

- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN AND VETERINARIANS: Do not administer or instill milk, cream or other substances containing vegetable or animal fats which will enhance absorption of lipophilic substances.

CONTROL SOLUTIONS, INC.

5903 Genoa-Red Bluff • Pasadena, TX 77507-1041
281-892-2500

EPA Reg. No. 53883-78 EPA Est. No. 53883-TX-002

0411