

V Clear-Out

Contains no CFC's which deplete the ozone layer.

For Use in Food and Non-food areas of Homes, Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theaters, garages, hotels, motels, hospitals, and kennels.

Kills exposed stages of: Houseflies, Mosquitoes, Small Flying Moths, Fleas, Wasps, Hornets, Ticks, Crickets, Silverfish and Cockroaches

One Unit Treats up to 6,000 cubic Feet or an Average Size Room.

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
*Piperonyl butoxide, Technical	1.00%
**N-Octyl bicycloheptene dicarboximide	1.00%
OTHER INGREDIENTS	97.50%
	100.00%

*Equivalent to 0.80% (butylcarbitol) (6-propylpiperonyl) ether and 0.20% related compounds

**MGK 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN CAUTION

EPA Reg. No. 1021-1662-5602

EPA Est. No. 9143-TX-1

Net Weight: 6oz. (170g)



Automatic Fogger

PRECAUTIONARY STATEMENTS Hazards to Humans & Domestic Animals

CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not apply while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plant, etc. all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination.

In hospitals, remove all patients prior to treatment. Ventilate area for two hours before returning patients.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARD

Highly Flammable
Inflammable
Inflammable
Inflammable



Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. The product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions of Use" on this label very carefully.

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none">* Call a poison control center or doctor immediately for treatment advice.* Do not give any liquid to the person.* Do not induce vomiting unless told to do so by a poison control center or a doctor.* Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none">* Hold eye open and rinse slowly and gently with water for 15-20 minutes.* Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.* Call a poison control center for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none">* Take off contaminated clothing.* Rinse skin immediately with plenty of water for 15-20 minutes.* Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none">* Move person to fresh air.* If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.* Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

NOTE TO PHYSICIAN: Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed. Do not puncture or incinerate.

DISPOSAL:
If Empty: Do not reuse this container. Place in trash or offer for recycling if available. If Partially Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

SHAKE WELL BEFORE USE

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller, instead allow for to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on. (i.e. refrigerators, thermostats, etc.) Call your gas utility or management company if you need assistance with your pilot lights.

Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and turn out pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment, and ventilate thoroughly before re-entry.

To Operate Valve: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for one-half hour. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace. Use product as above. Pets should be treated with a registered flea and tick control product prior to re-entry. Repeat as necessary to bring infestation under control.

Manufactured for:



Hub States, LLC

P.O. Box 1646
Indianapolis, IN 46206