



# FOGGING INSECTICIDE PF

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist.

**ACTIVE INGREDIENTS:**

Pyrethrins ..... 0.5%  
 Piperonyl Butoxide Technical\* ..... 5.0%

**OTHER INGREDIENTS:** ..... 94.5%  
 TOTAL: ..... 100.0%

\*\*Contains Petroleum Distillates \*Equivalent to 4.0% (butylcarbityl)(6-propylpiperonyl) ether and 1.0% related compounds.  
 PRENTOX® - Registered Trademark of Prentiss Incorporated

<b>KEEP OUT OF REACH OF CHILDREN CAUTION</b>	
<b>FIRST AID</b>	
Have the product container or label with you when calling a poison control center or physician, or going for treatment.	
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Immediately call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378.</li> <li>• Do not induce vomiting unless told to do so by the Poison Control Center or physician.</li> <li>• Do not give any liquid to the person.</li> <li>• Do not give anything by mouth to an unconscious or convulsing person.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.</li> </ul>
<b>NOTE TO PHYSICIAN:</b> Contains petroleum distillate – vomiting may cause aspiration pneumonia.	
For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.+	
<b>SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS</b>	

EPA REG. NO. 655-643

4/02a

EPA EST. NO. 655-GA-1

Manufactured by:

## PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082  
 Office: C.B. 2000, Floral Park, NY 11002-2000

<p><b>PRECAUTIONARY STATEMENTS</b>  <b>HAZARDS TO HUMANS &amp; DOMESTIC ANIMALS</b>  <b>CAUTION</b></p> <p>Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.</p> <p>Food should be removed or covered during treatments. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. Do not apply while food processing is under way. Remove pets and birds, and cover fish aquariums before spraying.</p> <p><b>Personal Protective Equipment:</b> Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.</p> <p><b>Applicators and other handlers must wear</b> coveralls, chemical-resistant gloves, such as barrier laminate, nitrile rubber, or neoprene rubber or viton, and shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.</p>
<p style="text-align: center;"><b>User Safety Recommendations</b></p> <p>Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.</p>
<p style="text-align: center;"><b>ENVIRONMENTAL HAZARDS</b></p> <p>This product is toxic to fish, birds, and other wildlife. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on this label.</p>
<p style="text-align: center;"><b>PHYSICAL AND CHEMICAL HAZARDS</b></p> <p>Do not use, or store near heat or open flame. Exposure to temperatures above 130° F, may cause bursting.</p>

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**In mushroom production and processing:** To control mushroom flies or fungus gnats in growing houses, apply at a rate of 1 ounce per 1,000 cubic feet of space. Fogger should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results, refrigeration should be turned off. In packing and canning plants, use at a rate of 1 ounce to 2,000 cubic feet of space.

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Stored food products which are infested should be fumigated or treated by other effective methods using an approved product intended for that purpose.

**Space Spray:** For control of accessible, exposed stages of flies, including fruit flies, mosquitoes, small flying moths, gnats, wasps, hornets, cheese skippers, and these common stored product pests: granary weevils, rice weevils, confused flour beetles, saw-toothed grain beetles, spider beetles, cigarette beetles, Drugstore beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, Tobacco moths, meal worms, and grain mites: Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at a rate of 1 ounce per 1,000 cubic feet of space. Direct spray toward the ceiling and upper corners of the area and behind obstructions. For best control of wasps and hornets, apply directly to nests in the evening when the insects have returned to the nests. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

**Space and Contact Spray:** For control of accessible, exposed stages of silverfish, crickets, roaches, spiders, scorpions, clover mites, cheese mites, earwigs, and ants, first using equipment which can deliver a pin spray, direct spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects are known to seek shelter. Contact as many insects as possible, spray directly all ant trails. Do not allow spray to contact stored food. Then, shutting all doors, windows and shutting off all ventilating systems proceed with space spraying directions as give above. Use a dosage rate of 1 ounce per 1,000 cubic feet of space. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary.

**For use on Animals:** To protect beef and dairy cattle and horses from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horn flies and deer flies on beef and dairy cattle and horses, apply 2 oz. Per adult animal, sufficient to wet the hair but not to soak the hide.

**STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame. Do not store in car trunk where temperatures may exceed 120° F.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.



# FOGGING INSECTICIDE PF

Apply with Equipment Designed and Adjusted to Deliver a True Aerosol Mist.

**ACTIVE INGREDIENTS:**

Pyrethrins .....	0.5%
Piperonyl Butoxide Technical* .....	5.0%

**OTHER INGREDIENTS:** .....

TOTAL:	94.5%
	100.0%

\*\*Contains Petroleum Distillates      \*Equivalent to 4.0% (butylcarbityl)(6-propylpiperonyl) ether and 1.0% related compounds.  
PRENTOX® - Registered Trademark of Prentiss Incorporated

<b>KEEP OUT OF REACH OF CHILDREN CAUTION</b>	
<b>FIRST AID</b>	
Have the product container or label with you when calling a poison control center or physician, or going for treatment.	
<b>If swallowed</b>	<ul style="list-style-type: none"> <li>• Immediately call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378.</li> <li>• Do not induce vomiting unless told to do so by the Poison Control Center or physician.</li> <li>• Do not give any liquid to the person.</li> <li>• Do not give anything by mouth to an unconscious or convulsing person.</li> </ul>
<b>If on skin or clothing</b>	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.</li> </ul>
<b>If in eyes</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.</li> </ul>
<b>If inhaled</b>	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>• Call a Poison Control Center, physician, or the National Pesticide Information Center at 1-800-858-7378 for treatment advice.</li> </ul>
<b>NOTE TO PHYSICIAN:</b> Contains petroleum distillate – vomiting may cause aspiration pneumonia.	
For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.	
<b>SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS</b>	

EPA REG. NO. 655-643

4/02a

EPA EST. NO. 655-GA-1

Manufactured by:

## PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082  
Office: C.B. 2000, Floral Park, NY 11002-2000