

# One

**KILLS:** Bed Bugs, Chocolate Moths, Cigarette Beetles, Cluster Flies, Confused Flour Beetles, Crickets, Drug Store Beetles, Flies, Gnats, Granary Weevils, Horn Flies, House Flies, Indian Meal Moths, Mosquitoes, Mud Daubers, Red Flour Beetles, Silverfish, Spiders, Stable Flies, Hornets, Sandflies, Brown Dog Ticks, Wasps, Cockroaches and other Listed Insects.

**FOR USE IN AND AROUND:** Campgrounds, Food Storage Areas, Homes, Hospitals, Hotels, Meat Packing and Food Processing Plants, Motels, Resorts, Restaurants, Canneries, Bakeries, Dairies, Milking Parlors, Cafeterias, Diners, Institutions, Food and Non-Food Areas of Warehouses, Kennels, Theatres, Office Buildings, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes).

**ACTIVE INGREDIENTS:**

Pyrethrins -----	0.50%
*Piperonyl Butoxide Technical -----	1.00%
N-Octyl bicycloheptene dicarboximide -----	1.67%
**OTHER INGREDIENTS -----	96.83%
	100.00%

\*Equivalent to 0.32% (butylcarbityl) (6-propylpiperonyl) ether and 0.08% of related compounds

\*\*Contains petroleum distillates

**KEEP OUT OF REACH OF  
CHILDREN  
CAUTION**

See Side Panel for Additional  
Precautionary Statements  
EPA Reg. No. 5602-203  
EPA Est. No. 9143-TX-1  
Net Wt. 21oz.



# PYRETHRIN

**PRECAUTIONARY STATEMENTS**  
Hazards to Humans & Domestic Animals

**CAUTION**

Harmful if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling. Avoid contact with eyes, skin and clothing. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse. In hospitals, remove all patients prior to treatment. Ventilate area for 2 hours before returning patients. Remove pets, birds and cover fish aquariums before spraying.

**PHYSICAL OR CHEMICAL HAZARDS**

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

First Aid		STORAGE AND DISPOSAL
IF SWALLOWED:	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.	Do not contaminate water, food, or feed by storage or disposal.  STORAGE: Store in original container in a locked storage area. Do not use or store near heat or open flame.  DISPOSAL: Do Not Puncture or Incinerate! If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.	
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.	
NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.		
HOT LINE NUMBER: Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-535-5053 for emergency medical treatment		

**DIRECTIONS FOR USE**

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**

Hold container upright. Apply in short bursts.

**Food/Feed Handling Establishments:** For control of all labeled pests, applications are permitted in food/feed and non food/feed areas of food/feed handling and processing establishments. Do not use as a space spray in the food/feed handling areas of the facility when the facility is in operation or foods/feeds are exposed. Do not apply directly to food/feed products. Cover or remove all food/feed processing and/or handling equipment during application. After application in food/feed processing plants, cafeterias and similar facilities, wash all equipment, benches, shelving, and other surfaces which food/feed will contact. Clean food/feed handling or processing equipment and thoroughly rinse with clean, fresh water. After application in bakeries, clean all food contact surface thoroughly with appropriate equipment. In the home, cover or remove exposed food prior to application. Do not allow spray to contact food surfaces. If it does, clean surfaces with soap and water prior to use.

**To Kill Flies, Flying Moths, Gnats, Hornets, Mosquitoes, Sandflies, and Wasps:** Close doors and windows and direct spray upward into center of room with a low, sweeping motion. Spray 5 to 10 seconds for average room (1000 cu. Ft.). Keep nozzle three feet from surfaces. Vacate premises. Keep room closed for fifteen minutes after spraying. Ventilate room thoroughly before reentry. Sweep up and destroy fallen insects.

**To Kill Ants, Centipedes, Cockroaches, Crickets, Firebrats, Scorpions, Silverfish, Sowbugs, Spiders and Waterbugs:** Spray baseboards, cracks, crevices, moist areas and openings around sinks and pipes and other hiding places, hitting the insects directly. Spray ant hills and ant trails around windows and door sills and other locations. Repeat as necessary.

**To Kill Clothes Moths:** Spray all articles to be protected, giving particular attention to folds and seams. Spray interior of storage containers such as closets, chests and trunks regularly. Treatment should be repeated every thirty days unless articles are stored in moth-tight containers.

**To Kill Bed Bugs:** Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards and floorboards. Repeat as needed.

**To Kill Carpet Beetles:** Directly spray as many insects as possible.

**To Kill Brown Dog Ticks and Fleas:** Remove and destroy pet's old bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary. Do not spray animals. Put fresh bedding in pet's quarters after spray has dried. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated areas. To treat carpets, spray at a rate of one square foot per second. Repeat as necessary.

**To Kill Exposed Forms of Confused Flour Beetles, Sawtoothed Grain Beetles, Rice Weevils and Granary Weevil:** Find and destroy all infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

Manufactured by:

