

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency medical treatment information.

**If in Eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

#### PRECAUTIONARY STATEMENTS

##### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION** - Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS:** This product is toxic to fish and aquatic invertebrates. Do not apply directly to water.

**PHYSICAL OR CHEMICAL HAZARDS:** Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

##### DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets out of treated areas until surfaces are dry.

Do not apply or contaminate feed, foodstuffs, dishes or utensils. Avoid spraying vegetation directly.

#### STORAGE AND DISPOSAL

**Storage:** Store and transport in an upright position. Store in a cool dry area inaccessible to children or pets. Do not puncture or incinerate!

**Disposal:** *If empty*—Place in trash or offer for recycling if available. *If partly filled*—Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378.

Notice: Buyer assumes all responsibility for safety and use not in accordance with directions.

**Bonide Products, Inc.**  
**Oriskany, NY 13424**

TRUSTED SINCE 1926

**BONIDE**®

# Wasp & Hornet Killer



- Prevents nesting
- Jet spray will reach nests up to 20' above ground
- Kills Wasps & Hornets on contact
- Kills the entire nest

#### ACTIVE INGREDIENTS

Tetramethrin .....	(CAS No. 7696-12-0) .....	0.10%
Permethrin .....	(CAS No. 52645-53-1) .....	0.25%
Piperonyl Butoxide, Technical .....	(CAS No. 51-03-6) .....	0.50%
<b>OTHER INGREDIENTS .....</b>	<b>99.15%</b>	
<b>Total .....</b>	<b>100.00%</b>	

\* Contains Petroleum Distillates  
EPA Est. No. 11623-GA-1(G), 11715-TN-1(T), 10806-NJ-1 (N), 5693-MA-1 (MA)  
EPA Reg. No. 4-392

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

(See back panel for additional precautionary statements).

**WASP & HORNET**  
**EPA Reg. No. 4-392**

**READ ENTIRE LABEL BEFORE EACH USE.**

#### OUTDOORS:

Triple action instant knockdown formula. To kill Wasps, Hornets, Yellow Jackets, and Carpenter Bees under eaves, screens, window frames, doors, patios, cracks, holes or crevices wherever insects are noticed, spray for about 1-2 seconds or until surfaces are moist. To prevent entrance of insects into the house, spray around points where insects enter such as outside plumbing, faucets, etc., and cracks or crevices in foundation as well as along sills and ledges. Remove all exposed food and cooking utensils. Cover all food handling surfaces or wash thoroughly after treatment and before use. Do not use on edible crops.

For best results, spray in early morning or late evening when insect activity is minimal. Stand a safe distance from nest and not directly underneath. (Remove protective cap.) Hold can upright and point spray opening toward nest with wind at your back. Spray until nest is thoroughly saturated to kill the entire nest population. Residual action will kill wasps and hornets returning to the nest. Wait at least 24 hours before removing the nest.

**Mud Daubers:** Spray directly on insects and their nests from approximately 2 feet away. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.