



PCO FOGGER

WITH PYRETHRINS

TREATS 5,000 CUBIC FEET

KILLS EXPOSED STAGES OF: COCKROACHES, FLEAS, TICKS, HOUSEFLIES, MOSQUITOES, SMALL FLYING MOTHS, WASPS, CRICKETS AND SILVERFISH.

For Use in Food and Non-food Areas of Homes, Food Processing Plants, Restaurants, Industrial Buildings: Schools, Warehouses, Offices, Theaters, Garages, Hotels, Motels, Hospitals and Kennels.

ACTIVE INGREDIENTS:

Pyrethrins	0.50%
*Piperonyl Butoxide, technical	1.00%
**N-Octyl bicycloheptene dicarboximide	1.00%
INERT INGREDIENTS	97.50%
	100.00%

*Equivalent to 0.80% of (butylcarbityl) (6-propylpiperonyl) ether and 0.20% related compounds

**MKG 264. Insecticide Synergist

CONTAINS NO CFC'S OR OTHER OZONE DEPLETING SUBSTANCES. FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS

KEEP OUT OF REACH OF CHILDREN CAUTION

See Back Panel for Additional Precautionary Statements.

EPA Reg No 9444-185

EPA Est No 9444-LA-1

NET WEIGHT 5 oz / 142 g

PRECAUTIONARY STATEMENTS
Hazards to Humans & Domestic Animals

CAUTION

Harmful if swallowed inhaled or absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after use. Remove contaminated clothing and wash before reuse.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT-IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists. **IF ON SKIN OR CLOTHING:** Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists. **IF INHALED:** Remove victim to fresh air. Apply artificial respiration preferably mouth to mouth. Get medical attention.

PHYSICAL OR CHEMICAL HAZARD- Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. Do not apply this product in or on electrical equipment due to the possibility of a shock hazard.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Shake Well Before Use. Cover exposed foods, dishes and food handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one 9 oz unit for each 9,000 cubic feet or one 5 oz unit for 5,000 cubic feet of unobstructed space. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment, and ventilate thoroughly before reentry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before airing out. Open all doors and windows and allow to air for one-half hour. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet sold bedding and replace. Use product as above. Pets should be treated with a registered tick and flea control product prior to reentry. Repeat as necessary to bring infestation under control. Do not use this unit in a cabinet or under a counter or table. Do not use in an area less than 100 cubic feet. Do not apply while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse prior to use. In hospitals, remove patients prior to treatment. Ventilate area for two hours prior to returning patients.

STORAGE & DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry area away from heat or open flame. **DISPOSAL:** This container may be recycled in the few but growing number of communities where steel aerosol can recycling is available. Before offering for recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash.



Manufactured by WATERBURY COMPANIES, INC.
P.O. Box 1812 Waterbury, CT 06722 Made in USA



Commercial Products Division
WATERBURY COMPANIES, INC.
Waterbury, CT 06722

Copyright © 1996 WATERBURY COMPANIES, INC.

